ELSEVIER

Journal of Affective Disorders 65 (2001) 331–333

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Contents (Vol. 65)

Issue 1 – June 2001

Editorial

Candid "confessions" of an editor: prioritizing journal space when increased submissions have led to publication backlog
H.S. Akiskal (USA) 1

Research reports

Personality disorders in bipolar and depressive disorders
A. Rossi, M.G. Marinangeli, G. Butti, A. Scinto, L. Di Cicco, A. Kalyvoka, C. Petruzzi (Italy) 3

Antenatal depression, substance dependency and social support
M. Pajulo, E. Savonlahti, A. Sourander, H. Helenius, J. Piha (Finland) 9

Depression in later life: three etiologically different subgroups
M.D. Van den Berg, A.J. Oldehinkel, A.L. Bouhuys, E.I. Brilman, A.T.F. Beekman, J. Ormel (The Netherlands) 19

Sertraline versus imipramine to prevent relapse in chronic depression
L.M. Koran, A.J. Gelenberg, S.G. Kornstein, R.H. Howland, R.A. Friedman, C. DeBattista, D. Klein, J.H. Kocsis, A.F. Schatzberg, M.E. Thase, A.J. Rush, R.M.A. Hirschfeld, L.M. LaVange, M.B. Keller (USA) 27

Tryptophan hydroxylase gene 218A/C polymorphism is associated with somatic anxiety in major depressive disorder
L. Du, D. Bakish, P.D. Hrdina (Canada) 37

Depressive disorders and personality variables in HIV positive and negative intravenous drug-users
C. Turrina, A. Fiorazzo, A. Turano, P. Cacciani, C. Regini, F. Castelli, E. Sacchetti (Italy) 45

Brief reports

Study of the influence of electroconvulsive therapy on the regional cerebral blood flow by HMPAO-SPECT
E. Elizagarate, J. Cortes, A. Gonzalez Pinto, M. Gutierrez, I. Alonso, P. Alcorta, M. Ramirez, J.L. Pz de Heredia, J.L. Figuerido (Spain) 55

Association between a catechol-*o*-methyltransferase polymorphism and obsessive–compulsive disorder in the Afrikaner population
D.J.H. Niehaus, C.J. Kinnear, V.A. Corfield, P.L. du Toit, J. van Kradenburg, J.C. Moolman-Smook, J.B. Weyers, A. Potgieter, S. Seedat, R.A. Emsley, J.A. Knowles, P.A. Brink, D.J. Stein (South Africa, USA) 61

The continuity of depression symptoms: Use of cluster analysis for profile identification in patient and student samples
B.J. Cox, M.W. Enns, D.K. Larsen (Canada) 67

Atypical and non-atypical subtypes of depression: comparison of social functioning, symptoms, course of illness, co-morbidity and demographic features
V. Agosti, J.W. Stewart (USA) 75

Parent–child concordance for separation anxiety: a clinical study
V. Manicavasagar, D. Silove, R. Rapee, F. Waters, S. Momartin (Australia) 81

Special articles

A meta-analysis of the use of typical antipsychotic agents in bipolar disorder
M. Tohen, F. Zhang, C.C. Taylor, P. Burns, C. Zarate, T. Sanger, G. Tollefson (USA) 85

Effect of lithium and sodium valproate ions on resting membrane potentials in neurons: an hypothesis
A. Thiruvengadam (USA) 95

Instructions to Authors 101

PII: S0165-0327(01)00383-4

Issue 2 – July 2001

Review

Drug abuse and bipolar disorder: comorbidity or misdiagnosis?
E. Sherwood Brown, T. Suppes, B. Adinoff, N. Rajan Thomas (USA) 105

Research reports

Is lithium response related to $G_s\alpha$ levels in transformed lymphoblasts from subjects with bipolar disorder?
M. Alda, D. Keller, E. Grof, G. Turecki, P. Cavazzoni, A. Duffy, G.A. Rouleau, P. Grof, L.T. Young (Canada) 117

Characteristics of patients with social phobia and their treatment in specialized clinics for anxiety disorders in the Netherlands
A.E. Dingemans, I.M. van Vliet, J. Couvée, H.G. Westenberg (The Netherlands) 123

Emergence and persistence of late life depression: a 3-year follow-up of the Longitudinal Aging Study Amsterdam
A.T.F. Beekman, D.J.H. Deeg, S.W. Geerlings, R.A. Schoevers, J.H. Smit, W. van Tilburg (The Netherlands) 131

Nucleotide sequence analysis of the binding site on the inositol 1,4,5-trisphosphate type-1 receptor in bipolar disorder — a negative study
K. Fujimaki, S. Morinobu, J. Takahashi, S. Yamawaki, N. Kato, M. Kanno, N. Okuyama, S. Kawakatsu, K. Otani, I. Kusumi, T. Koyama (Japan) 139

Group cognitive behavioral therapy for bipolar disorder: a feasibility and effectiveness study
I. Patelis-Siotis, L.T. Young, J.C. Robb, M. Marriott, P.J. Bieling, L.C. Cox, R.T. Joffe (Canada) 145

Initial recovery patterns may predict which maintenance therapies for depression will keep older adults well
M.A. Dew, C.F. Reynolds III, B. Mulsant, E. Frank, P.R. Houck, S. Mazumdar, A. Begley, D.J. Kupfer (USA) 155

Brief reports

Gabapentin treatment of the non-refractory bipolar spectrum: an open case series
S.N. Ghaemi, F.K. Goodwin (USA) 167

Is antidepressant–benzodiazepine combination therapy clinically more useful? A meta-analytic study
T.A. Furukawa, D.L. Streiner, L.T. Young (Japan, Canada) 173

Atypical depression with hypomanic symptoms
F. Benazzi (Italy) 179

Psychological well-being and residual symptoms in remitted patients with panic disorder and agoraphobia
G.A. Fava, C. Rafanelli, F. Ottolini, C. Ruini, M. Cazzaro, S. Grandi (Italy, USA) 185

ICD-10 criteria for depression in general practice
S.H. Pedersen, K.B. Stage, A. Bertelsen, P. Grinsted, P. Kragh-Sørensen, T. Sørensen (Denmark) 191

Letter to the Editor

Relationship between mood disorders and coronary artery disease: possible role of the immune system and infection
L. Sher (USA) 195

Special article

Evolutionary recasting: ADHD, mania and its variants
J.F. Brody (USA) 197

Instructions to Authors 217

Issue 3 – August 2001

Review

The relevance of hierarchies, territories, defeat for depression in humans: hypotheses and clinical predictions
P. Rohde (UK) 221

Research reports

Determinants of functional outcome and healthcare costs in bipolar disorder: a high-intensity follow-up study
M.S. Bauer, G.F. Kirk, C. Gavin, W.O. Williford (USA) 231

Adherence to treatment regimen in depressed patients treated with amitriptyline or fluoxetine
K. Demyttenaere, P. Mesters, B. Boulanger, W. Dewe, M.-H. Delsemme, J. Gregoire, E. Van Ganse (Belgium, France) 243

Diurnal variations in suicide by age and gender in Italy
A. Preti, P. Miotto (Italy) 253
Mortality in affective disorders
B. Schneider, M.J. Müller, M. Philipp (Germany) 263
Cross-talk between PKA and PKC in human fibroblasts: what are the pharmacotherapeutic implications?
D.H. Manier, R.C. Shelton, F. Sulser (USA) 275
Long-term naturalistic treatment of depressive symptoms in bipolar illness with divalproex vs. lithium in the setting of minimal antidepressant use
S.N. Ghaemi, F.K. Goodwin (USA) 281

Brief reports
Comorbidity burden and its impact on psychosocial morbidity in depressed outpatients
W. McDermut, J. Mattia, M. Zimmerman (USA) 289
Prognostic factors in major depression: A long-term follow-up study of 323 patients
T. Riise, A. Lund (Norway) 297
Melatonin response to clonidine administration in depression: indication of presynaptic α_2-adrenoceptor dysfunction
T. Paparrigopoulos, C. Psarros, J.-D. Bergiannaki, E. Varsou, U. Dafni, C. Stefanis (Greece) 307

Letter to the editor
Carbamazepine treatment of corticosteroid-induced mood disorder
K. Wada, N. Yamada, Y. Yamauchi, S. Kuroda (Japan) 315

Book review 319

Instructions to Authors 321

Author Index 323
Subject Index 327
Contents (Vol. 65) 331

Melatonin response to clonidine administration in depression: indication of presynaptic α_2-adrenoceptor dysfunction
T. Paparrigopoulos, C. Psarros, J.-D. Bergiannaki, E. Varsou, U. Dafni, C. Stefanis (Greece) 307

Letter to the editor

Carbamazepine treatment of corticosteroid-induced mood disorder
K. Wada, N. Yamada, Y. Yamauchi, S. Kuroda (Japan) 315

Book review 319

Instructions to Authors 321

Author Index 323
Subject Index 327
Contents (Vol. 65) 331

PII: S0165-0327(01)00384-6